



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/038,506	11/09/2001	Michael D. Hooven	HOOV 114	6492

7590 05/04/2006

Cook, Alex, McFarron, Manzo,
Cummings & Mehler, Ltd.
Suite 2850
200 West Adams Street
Chicago, IL 60606

EXAMINER

ROLLINS, ROSILAND STACIE

ART UNIT	PAPER NUMBER
----------	--------------

3739

DATE MAILED: 05/04/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/038,506

Applicant(s)

HOOVEN, MICHAEL D.

Examiner

Rosiland S. Rollins

Art Unit

3739

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 February 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-7 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-7 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Paraschac US h1745. Paraschac discloses a device for clamping tissue comprising a first and second handle, first and second jaw members, a first elongated electrode (147) and a second elongated electrode (148). Paraschac teaches all of the limitations of the claims except the width of the clamping surface exclusive of the width of the tissue-contacting portion of the first electrode being substantially wider than the width of the tissue-contacting portion. Column 7 lines 3-4 of the Paraschac disclose that reducing the active electrode (the tissue contacting portion) causes the electrical fields to focus and produce speedy coagulation. In view of this teaching, it would have been obvious to one of ordinary skill in the art at the time the invention was made to construct the clamping surface such that the width of the clamping surface exclusive of the width of the tissue contacting portion of the first electrode being substantially wider than the width of the tissue contacting portion, since it has been held that changing the size of the parts of a device only involves routine skill in the art.

Response to Arguments

Applicant's arguments filed 2/9/06 have been fully considered but they are not persuasive.

In contrast to the argument that, Paraschac teaches away from a treatment zone that is substantially narrower than the width of the jaws clamping surface, the disclosure in column 7 lines 3-4 of Paraschac state that in reducing the active electrode size the electrical fields are focused and this speeds coagulation.

Moreover, Applicant's arguments that:

The structure of Paraschac intentionally teaches a wide treatment zone, which essentially cauterizes the entire lateral extent of tissue, disposed between the jaws;

Paraschac expressly teaches that the treatment zone must be wide enough to extend on either side of the knife-cutting channel for cutting by the knife;

Paraschac consistently requires that the hemostatic treatment zone must be slightly wider than the clamping surfaces of each jaw so as to provide visual feedback to the surgeon outside of the jaws when the jaws are clamped; does not preclude the fact that Paraschac explicitly discloses that the size of the active electrode (the tissue contacting portion) can be reduced.


Applicant also argues that Paraschac does not teach or suggest that the jaws are parallel through a range of clamping spacing. It is the Examiners position that the jaws of Paraschac do become parallel at different points throughout the range of motion of

Art Unit: 3739

the jaws, this is illustrated in figure 7 where jaws in the image are clearly parallel. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rosiland S. Rollins whose telephone number is (571) 272-4772. The examiner can normally be reached on Mon.-Fri. 9:00 AM - 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda C. Dvorak can be reached on (571) 272-4764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Rosiland S Rollins
Primary Examiner
Art Unit 3739